

Furniture Hardware








A B S - SINGAPORE • KUALA LUMPUR • JAKARTA • HONG KONG • SHANGHAI • BEIJING

ESPAGNOLETTE LOCKS


HKL-13400/NP

Espagnolette lock set with 2 flap keys (with 600 different key changes)

Each set consists of the following parts :

Parts No.	Description of Parts	Qty	Material	Finish	
①	Espagnolette lock with pre-installed cylinder core & 2 flap keys, A001-A600, x = 22 mm, backset = 15 mm, left/right applicable, suitable for divided profile rod 6 mm dia.	1 set	Zinc alloy (body, cylinder core & dead bolt)/brass (key)/plastic (key's cover cap)	Nickel plated (body, cylinder core, dead bolt & key)/black (key's cover cap)	
②	Catch hook, right bottom/ left top & right top/left bottom	1 pair	Zinc alloy with plastic insert	Nickel plated & black	
③	Rod guide	2 pcs	Steel	Nickel plated	
④	Profile rod 6 dia. x 5 mm, length in 1 m & 1.5 m	1 pc x 1 m 1 pc x 1.5 m	Steel	Nickel plated	
⑤	Locking bolt with mounting plate	2 pcs	Steel	Nickel plated	

RIM LOCKS & GENERAL MASTER KEY SYSTEM WITH REMOVABLE CYLINDER CORE



HKL-13700K

Material : Zinc alloy
Finish : Nickel plated
Board thickness : Max. 22 mm




HKL-13800/KD

Rim lock for drawer with 2 flap keys (with 600 different key changes)

Material : Zinc alloy (body, cylinder core & dead bolt)/brass (key)
Finish : Nickel plated/black (key's cover cap)
Backset : 25 mm
Board thickness : 22 mm
Cylinder length : 22 mm

Cylinder core for direct installation with 2 flap keys



Material : Zinc alloy (cylinder core)/brass & plastic (key)

Finish : Nickel plated/black (key's cover cap)



With original key, the cylinder core can be easily inserted directly into the lock housing



The key code is marked on keys and on cylinder core

Model No.	Key System	
	Type	Key Code
HKL-154000/001	Keys alike	A 001
HKL-154000/002		A 002
HKL-154000/003		A 003
HKL-154000/004		A 004
HKL-154000/005		A 005
HKL-154000/006		A 006
HKL-154000/007		A 007
HKL-154000/008		A 008
HKL-154000/009		A 009
HKL-154000/010		A 010
HKL-154000/KD	Key different	A001-A600

SLAM LOCKS, ROLLER SHUTTER LOCKS & RIM LOCKS FOR DOUBLE DOORS




[HKL-14700/H](#)

Material : Zinc alloy (body & dead bolt)/
steel (striking plate)

Finish : Nickel plated

Backset : 25 mm

Board thickness : 22 mm



■ With 2 different locking function




Push bolt into right position:
Latch snaps into position when lock is closed.
Latch will be held in open position by turning the key 180° anti-clockwise.
Core installation or removal only possible in this position and key can be removed.



Push bolt into left position:
Slam latch does not lock in open position. In this position, the key and the core are not removable.


CENTRAL LOCKING SYSTEM & MORTISE LOCKS

HKL-14100A



Material : Zinc alloy (body & cylinder core)/brass & plastic (key)
 Finish : Nickel plated/black (key's cover cap)
 Locking direction : 180°
 Lift distance : 17 mm

LEVER LOCKS, PUSH-TURN LOCKS & PUSH LOCKS



HKL-14000/NP

Material : Zinc alloy (body & cylinder core)/steel (lever)/brass & plastic (key)
 Finish : Nickel plated/black (key's cover cap)/trivalent blue zp (lever)
 Closure travel : 90° (A, D, E, G)
 Board thickness : 17 mm

MOBY - PUSH KNOB LOCKS



HKL-15500/H

Material : Zinc alloy (push knob lock & cylinder core)/plastic (housing & striking plate)
 Finish : Chrome polished (push knob lock)/black (housing & striking plate)

GLASS DOOR LOCKS FOR SINGLE HINGED DOORS & SINGLE SLIDING DOORS




HKL-15000NP/R

Material : Zinc alloy (body & cylinder core)/brass & plastic (key)
Finish : Nickel plated polished/black (key's cover cap)


CABINET LOCKS




Model No.	Finish	Door thickness (mm)	L (mm)
HKL-10300	Nickel	22	22
HKL-10300B	Gold	22	22
HKL-10300L	Nickel	30	30
HKL-10300LB	Gold	30	30




Remove the screw A. Then, rotate the cylinder in order to switch for either drawer or RH cabinet door application



Part Name	Material
Cylinder	Bass & Zinc Alloy
Body	Zinc Alloy
Dead Bolt	Zinc Alloy
Key	Brass
Ring	Brass
Bracket	Brass



Drawer application



Right-handed cabinet door application


GLASS DOOR CAM LOCKS




Glass door cam lock

Glass thickness : 4/5/6 mm


Model No.	Finish
HKL-21000	Chrome
HKL-21000B	Polished brass



Installation



Model No.	HKL-21000	HKL-21000B
Part Name	Material	Material
Front Plate	SS304	Brass
Body	Brass	Brass
Cam	Steel	Steel
Hex.Nut	Brass	Brass
Plastic Washer	Polyamide	Polyamide
Washer	Steel	Steel
Key	Brass	Brass
Counterplate	Steel	Steel



Cut-out dimensions

■ Key is removable in locked position only. Key works as a knob in unlocked position.



ABS Building Products Pte Ltd . #06-09 Orion@PayaLebar . 160 Paya Lebar Road . Singapore 409022 . MacPherson MRT exit A . T: 65-6841 7600 Ext.200 . F: 6841 7300 . 📞: 9248 7647 / 8322 0647
ABS Hings Building Products Pte Ltd . #06-09 Orion@PayaLebar . 160 Paya Lebar Road . Singapore 409022 . MacPherson MRT exit A . T: 65-6841 7600 Ext.200 . F: 6841 7300 . 📞: 9424 3330
ABS Building Products Co Ltd . Unit 1001B . B 10/F . Join-In Hang Sing Centre . 71-75 Container Port Road . 2-16 Kwai Chung Crescent . Kwai Chung . (Kwai Fong MRT Exit C) . Hong Kong .
Hong Kong 📞: 852-3904 3613 . F: 3579 3088

ABS Building Products Sdn Bhd . No 18-2 Jalan Tasik Utama 7 . Medan Niaga . Tasik Damai . Sungai besides – 57000 Kuala Lumpur Malaysia . 📞: 60-12389 0833

ABS Shanghai Representative Office . No. 619 . Building 5 . WANDA Plaza . 988 Hua Jiang Road . Shanghai . 201800 China . 📞: +86 -137 7445 4451

enquiry@absbldg.com 📧 www.absbuildingproducts.com 🌐 www.absbldg.com